

# SROVAN

## YANGIN KORUNUM



# FİYAT LİSTESİ

## OCAK 2023



[www.srovan.com](http://www.srovan.com)







1-17

SPRINKLER



18-19

SRPINKLER BAĞLANTI EKİPMANLARI



21

ALARM VANALARI



22

İZLENEBİLİR KELEBEK VANALAR



23

AKIŞ ANAHTARI



23

ÇİFT KLEPELİ ÇEK VANA



24

TEST VE DRENAJ VANASI



25

OS&Y VANA



25

NRS VANA



26

HİDRANT



## UPRIGHT SPRINKLER

SRV-1123

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	113,31
1/2"	68°C	PIRİNÇ	105,56
1/2"	79°C	PIRİNÇ	113,31
1/2"	93°C	PIRİNÇ	113,31
1/2"	141°C	PIRİNÇ	113,31
1/2"	57°C	KROM	113,31
1/2"	68°C	KROM	113,31
1/2"	79°C	KROM	113,31
1/2"	93°C	KROM	113,31
1/2"	141°C	KROM	113,31



## UPRIGHT SPRINKLER

SRV-1133

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	267,58
3/4"	68°C	PIRİNÇ	243,26
3/4"	79°C	PIRİNÇ	267,58
3/4"	93°C	PIRİNÇ	267,58
3/4"	141°C	PIRİNÇ	267,58
3/4"	57°C	KROM	267,58
3/4"	68°C	KROM	267,58
3/4"	79°C	KROM	267,58
3/4"	93°C	KROM	267,58
3/4"	141°C	KROM	267,58



## PENDENT SPRINKLER

SRV-1127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	113,31
1/2"	68°C	PIRİNÇ	105,56
1/2"	79°C	PIRİNÇ	113,31
1/2"	93°C	PIRİNÇ	113,31
1/2"	141°C	PIRİNÇ	113,31
1/2"	57°C	BEYAZ	113,31
1/2"	68°C	BEYAZ	105,56
1/2"	79°C	BEYAZ	113,31
1/2"	93°C	BEYAZ	113,31
1/2"	141°C	BEYAZ	113,31
1/2"	57°C	KROM	113,31
1/2"	68°C	KROM	113,31
1/2"	79°C	KROM	113,31
1/2"	93°C	KROM	113,31
1/2"	141°C	KROM	113,31



## PENDENT SPRINKLER

SRV-1137

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	267,68
3/4"	68°C	PIRİNÇ	243,37
3/4"	79°C	PIRİNÇ	267,68
3/4"	93°C	PIRİNÇ	267,68
3/4"	141°C	PIRİNÇ	267,68
3/4"	57°C	BEYAZ	267,68
3/4"	68°C	BEYAZ	243,37
3/4"	79°C	BEYAZ	267,68
3/4"	93°C	BEYAZ	267,68
3/4"	141°C	BEYAZ	267,68
3/4"	57°C	KROM	267,68
3/4"	68°C	KROM	267,68
3/4"	79°C	KROM	267,68
3/4"	93°C	KROM	267,68
3/4"	141°C	KROM	267,68



## SIDEWALL SPRINKLER

SRV-1129

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	121,59
1/2"	68°C	PIRİNÇ	111,57
1/2"	79°C	PIRİNÇ	121,59
1/2"	93°C	PIRİNÇ	121,59
1/2"	141°C	PIRİNÇ	121,59
1/2"	57°C	BEYAZ	121,59
1/2"	68°C	BEYAZ	111,57
1/2"	79°C	BEYAZ	121,59
1/2"	93°C	BEYAZ	121,59
1/2"	141°C	BEYAZ	121,59
1/2"	57°C	KROM	121,59
1/2"	68°C	KROM	121,59
1/2"	79°C	KROM	121,59
1/2"	93°C	KROM	121,59
1/2"	141°C	KROM	121,59



## SIDEWALL SPRINKLER

SRV-1139

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	303,98
3/4"	68°C	PIRİNÇ	276,30
3/4"	79°C	PIRİNÇ	303,98
3/4"	93°C	PIRİNÇ	303,98
3/4"	141°C	PIRİNÇ	303,98
3/4"	57°C	BEYAZ	303,98
3/4"	68°C	BEYAZ	276,30
3/4"	79°C	BEYAZ	303,98
3/4"	93°C	BEYAZ	303,98
3/4"	141°C	BEYAZ	303,98
3/4"	57°C	KROM	303,98
3/4"	68°C	KROM	303,98
3/4"	79°C	KROM	303,98
3/4"	93°C	KROM	303,98
3/4"	141°C	KROM	303,98



## UPRIGHT SPRINKLER

SRV-1223

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	137,94
1/2"	68°C	PIRİNÇ	128,49
1/2"	79°C	PIRİNÇ	137,94
1/2"	93°C	PIRİNÇ	137,94
1/2"	141°C	PIRİNÇ	137,94
1/2"	57°C	KROM	137,94
1/2"	68°C	KROM	137,94
1/2"	79°C	KROM	137,94
1/2"	93°C	KROM	137,94
1/2"	141°C	KROM	137,94



## UPRIGHT SPRINKLER

SRV-1233

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	309,91
3/4"	68°C	PIRİNÇ	281,74
3/4"	79°C	PIRİNÇ	309,91
3/4"	93°C	PIRİNÇ	309,91
3/4"	141°C	PIRİNÇ	309,91
3/4"	57°C	KROM	309,91
3/4"	68°C	KROM	309,91
3/4"	79°C	KROM	309,91
3/4"	93°C	KROM	309,91
3/4"	141°C	KROM	309,91



## PENDENT SPRINKLER

SRV-1227

HIZLI TEPKİMLİ, K 5.6 (K 80)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	137,94
1/2"	68°C	PIRİNÇ	128,50
1/2"	79°C	PIRİNÇ	137,94
1/2"	93°C	PIRİNÇ	137,94
1/2"	141°C	PIRİNÇ	137,94
1/2"	57°C	BEYAZ	137,94
1/2"	68°C	BEYAZ	128,50
1/2"	79°C	BEYAZ	137,94
1/2"	93°C	BEYAZ	137,94
1/2"	141°C	BEYAZ	137,94
1/2"	57°C	KROM	137,94
1/2"	68°C	KROM	137,94
1/2"	79°C	KROM	137,94
1/2"	93°C	KROM	137,94
1/2"	141°C	KROM	137,94

## PENDENT SPRINKLER

SRV-1237

HIZLI TEPKİMLİ, K 8.0 (K 115)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	311,94
3/4"	68°C	PIRİNÇ	283,58
3/4"	79°C	PIRİNÇ	311,94
3/4"	93°C	PIRİNÇ	311,94
3/4"	141°C	PIRİNÇ	311,94
3/4"	57°C	BEYAZ	311,94
3/4"	68°C	BEYAZ	283,58
3/4"	79°C	BEYAZ	311,94
3/4"	93°C	BEYAZ	311,94
3/4"	141°C	BEYAZ	311,94
3/4"	57°C	KROM	311,94
3/4"	68°C	KROM	311,94
3/4"	79°C	KROM	311,94
3/4"	93°C	KROM	311,94
3/4"	141°C	KROM	311,94





## SIDEWALL SPRINKLER

SRV-1229

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	155,04
1/2"	68°C	PIRİNÇ	144,40
1/2"	79°C	PIRİNÇ	155,04
1/2"	93°C	PIRİNÇ	155,04
1/2"	141°C	PIRİNÇ	155,04
1/2"	57°C	BEYAZ	155,04
1/2"	68°C	BEYAZ	144,40
1/2"	79°C	BEYAZ	155,04
1/2"	93°C	BEYAZ	155,04
1/2"	141°C	BEYAZ	155,04
1/2"	57°C	KROM	155,04
1/2"	68°C	KROM	155,04
1/2"	79°C	KROM	155,04
1/2"	93°C	KROM	155,04
1/2"	141°C	KROM	155,04



## SIDEWALL SPRINKLER

SRV-1239

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	341,68
3/4"	68°C	PIRİNÇ	310,63
3/4"	79°C	PIRİNÇ	341,68
3/4"	93°C	PIRİNÇ	341,68
3/4"	141°C	PIRİNÇ	341,68
3/4"	57°C	BEYAZ	341,68
3/4"	68°C	BEYAZ	310,63
3/4"	79°C	BEYAZ	341,68
3/4"	93°C	BEYAZ	341,68
3/4"	141°C	BEYAZ	341,68
3/4"	57°C	KROM	341,68
3/4"	68°C	KROM	341,68
3/4"	79°C	KROM	341,68
3/4"	93°C	KROM	341,68
3/4"	141°C	KROM	341,68

**EXTENDED COVERAGE UPRIGHT SPRINKLER**

SRV-3123

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	401,90
1/2"	68°C	PIRİNÇ	382,76
1/2"	79°C	PIRİNÇ	401,90
1/2"	93°C	PIRİNÇ	401,90
1/2"	141°C	PIRİNÇ	401,90

**EXTENDED COVERAGE UPRIGHT SPRINKLER**

SRV-3133

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	446,55
3/4"	68°C	PIRİNÇ	425,29
3/4"	79°C	PIRİNÇ	446,55
3/4"	93°C	PIRİNÇ	446,55
3/4"	141°C	PIRİNÇ	446,55



## EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3127  
STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	425,30
1/2"	68°C	PIRİNÇ	382,76
1/2"	79°C	PIRİNÇ	425,30
1/2"	93°C	PIRİNÇ	425,30
1/2"	141°C	PIRİNÇ	425,30



## EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3137  
STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	453,63
3/4"	68°C	PIRİNÇ	432,04
3/4"	79°C	PIRİNÇ	453,63
3/4"	93°C	PIRİNÇ	453,63
3/4"	141°C	PIRİNÇ	453,63



## EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3129

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	BEYAZ	433,56
1/2"	68°C	BEYAZ	412,93
1/2"	79°C	BEYAZ	433,56
1/2"	93°C	BEYAZ	433,56
1/2"	141°C	BEYAZ	433,56



## EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3139

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	BEYAZ	481,73
3/4"	68°C	BEYAZ	458,80
3/4"	79°C	BEYAZ	481,73
3/4"	93°C	BEYAZ	481,73
3/4"	141°C	BEYAZ	481,73



## EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3223  
HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	435,63
1/2"	68°C	PIRİNÇ	414,91
1/2"	79°C	PIRİNÇ	435,63
1/2"	93°C	PIRİNÇ	435,63
1/2"	141°C	PIRİNÇ	435,63



## EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3233  
HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	484,03
3/4"	68°C	PIRİNÇ	461,01
3/4"	79°C	PIRİNÇ	484,03
3/4"	93°C	PIRİNÇ	484,03
3/4"	141°C	PIRİNÇ	484,03



## EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	438,85
1/2"	68°C	PIRİNÇ	433,16
1/2"	79°C	PIRİNÇ	438,85
1/2"	93°C	PIRİNÇ	438,85
1/2"	141°C	PIRİNÇ	438,85



## EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3237

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	487,60
3/4"	68°C	PIRİNÇ	464,41
3/4"	79°C	PIRİNÇ	487,60
3/4"	93°C	PIRİNÇ	487,60
3/4"	141°C	PIRİNÇ	487,60



## EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3229

HIZLI TEPKİMLİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	BEYAZ	460,63
1/2"	68°C	BEYAZ	438,71
1/2"	79°C	BEYAZ	460,63
1/2"	93°C	BEYAZ	460,63
1/2"	141°C	BEYAZ	460,63



## EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3239

HIZLI TEPKİMLİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	BEYAZ	511,81
3/4"	68°C	BEYAZ	487,46
3/4"	79°C	BEYAZ	511,81
3/4"	93°C	BEYAZ	511,81
3/4"	141°C	BEYAZ	511,81



## ELO UPRIGHT SPRINKLER

SRV-4133

STANDART TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	429,51
3/4"	68°C	PIRİNÇ	409,05
3/4"	79°C	PIRİNÇ	429,51
3/4"	93°C	PIRİNÇ	429,51
3/4"	141°C	PIRİNÇ	429,51



## ELO UPRIGHT SPRINKLER

SRV-4233

HIZLI TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	471,23
3/4"	68°C	PIRİNÇ	448,76
3/4"	79°C	PIRİNÇ	471,23
3/4"	93°C	PIRİNÇ	471,23
3/4"	141°C	PIRİNÇ	471,23





## ELO PENDENT SPRINKLER

SRV-4137

STANDART TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	429,51
3/4"	68°C	PIRİNÇ	409,05
3/4"	79°C	PIRİNÇ	429,51
3/4"	93°C	PIRİNÇ	429,51
3/4"	141°C	PIRİNÇ	429,51



## ELO PENDENT SPRINKLER

SRV-4237

HIZLI TEPKİMELİ, K 11.2 (K 160)


ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	471,23
3/4"	68°C	PIRİNÇ	448,76
3/4"	79°C	PIRİNÇ	471,23
3/4"	93°C	PIRİNÇ	471,23
3/4"	141°C	PIRİNÇ	471,23

**ESFR UPRIGHT SPRINKLER**

SRV-5233

HIZLI TEPKİMELİ, K 14 (K 200)


ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	491,53
3/4"	79°C	PIRİNÇ	491,53
3/4"	93°C	PIRİNÇ	491,53

**ESFR UPRIGHT SPRINKLER**

SRV-5243

HIZLI TEPKİMELİ, K 17 (K 240)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	511,19
3/4"	79°C	PIRİNÇ	511,19
3/4"	93°C	PIRİNÇ	511,19




## ESFR PENDENT SPRINKLER

SRV-5237

HIZLI TEPKİMELİ, K 14 (K 200)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	491,53
3/4"	79°C	PIRİNÇ	491,53
3/4"	93°C	PIRİNÇ	491,53



## ESFR PENDENT SPRINKLER

SRV-5247

HIZLI TEPKİMELİ, K 17 (K 240)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	511,19
3/4"	79°C	PIRİNÇ	511,19
3/4"	93°C	PIRİNÇ	511,19



## KURU TİP PENDENT SPRINKLER

SRV-6227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2" - 10 cm	68°C	KROM	3 590,03
1/2" - 15 cm	68°C	KROM	3 664,70
1/2" - 30 cm	68°C	KROM	3 876,24



## KURU TİP SIDEWALL SPRINKLER

SRV-6229

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2" - 10 cm	68°C	KROM	3 621,14
1/2" - 15 cm	68°C	KROM	3 720,69
1/2" - 30 cm	68°C	KROM	3 969,57



## GİZLİ TİP PENDENT SPRINKLER

SRV-7127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	68°C	PIRİNÇ	307,36
KAPAK	57°C	BEYAZ	216,52

## GİZLİ TİP PENDENT SPRINKLER

SRV-7227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	68°C	PIRİNÇ	313,51
KAPAK	57°C	BEYAZ	220,85



## ÇİFT PARÇA ROZET

	ÖLÇÜ (INCH)	KAPLAMA	LİSTE FİYATI (TL)
ÇİFT PARÇA	1/2"	BEYAZ	14,92
ÇİFT PARÇA	1/2"	FARKLI RENK	25,97
ÇİFT PARÇA	1/2"	KROM	22,34
ÇİFT PARÇA	3/4"	BEYAZ	18,98
ÇİFT PARÇA	3/4"	FARKLI RENK	33,76
ÇİFT PARÇA	3/4"	KROM	33,76

## TEK PARÇA ROZET

	ÖLÇÜ (INCH)	KAPLAMA	LİSTE FİYATI (TL)
TEK PARÇA	1/2"	BEYAZ	15,14
TEK PARÇA	1/2"	FARKLI RENK	32,58
TEK PARÇA	1/2"	KROM	32,58
TEK PARÇA	3/4"	BEYAZ	21,80
TEK PARÇA	3/4"	FARKLI RENK	38,15
TEK PARÇA	3/4"	KROM	38,15



### YEDEK SPRINKLER KUTUSU

ADET	ÖLÇÜ	KAPLAMA	LİSTE FİYATI (TL)
6	1/2"	KIRMIZI	2 264,55
6	3/4"	KIRMIZI	2 264,55
12	1/2"	KIRMIZI	2 717,45
12	3/4"	KIRMIZI	2 717,45



### SPRINKLER TAKMA ANAHTARI

ÖLÇÜ	LİSTE FİYATI (TL)
1/2"	339,05
3/4"	339,05

## SPRINKLER TİPLERİ Sprinkler Types



**UPRIGHT**



**PENDENT**



**SIDEWALL**



**HIZLI TEPKİMLİ  
3 mm BULB**

Quick Response 3 mm Bulb



**STANDART TEPKİMLİ  
5 mm BULB**

Standard Response 5 mm Bulb

## SPRINKLER K DEĞERLERİ Sprinkler K Factors

K Faktörü / K Factor (SI)	K Faktörü / K Factor (US)	Bağlantı Ölçüsü / Connection Dimension	Tipi / Type
80	5,60	1/2"	Control Mode
115	8,00	3/4"	Control Mode / Storage
160	11,20	3/4"	Storage / ELO
200	14,00	3/4"	Storage / ESFR
240	16,70	3/4"	Storage / ESFR
320	22,50	1"	Storage / ESFR
360	25,00	1"	Storage / ESFR

## SPRINKLER AKTİVASYON DERECELERİ Sprinkler Activation Temperature

57°C



135°F

68°C



155°F

79°C



175°F

93°C



200°F

141°C



286°F

182°C



360°C



## ISLAK ALARM VANASI

SRV-212

21 BAR, 300 PSI, TSE

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100 *	4"	FLANŞLI	20 489,91
DN 150 *	6"	FLANŞLI	25 518,98
DN 200 *	8"	FLANŞLI	32 548,81

\* Trim seti, gong, basınç anahtarı, manometre, boşaltma vanası, geciktirme hücresi fiyatlara dahildir.



## KURU ALARM VANASI

SRV-213

21 BAR, 300 PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100 *	4"	FLANŞLI	FİYAT SORUNUZ
DN 150 *	6"	FLANŞLI	FİYAT SORUNUZ
DN 200 *	8"	FLANŞLI	FİYAT SORUNUZ

\* Trim seti, gong, basınç anahtarı, manometre, boşaltma vanası fiyatlara dahildir. Hızlandırıcısız modeldir.





## İZLENEBİLİR KELEBEK VANA

SRV-216

WAFER, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 65	2 1/2"	WAFER	3 550,64
DN 80	3"	WAFER	3 956,85
DN 100	4"	WAFER	4 577,85
DN 125	5"	WAFER	6 829,07
DN 150	6"	WAFER	6 829,07
DN 200	8"	WAFER	10 297,68



## İZLENEBİLİR KELEBEK VANA

SRV-218

DIŞLİ, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 25	1"	DIŞLİ	382,05
DN 32	1 1/4"	DIŞLİ	407,63
DN 40	1 1/2"	DIŞLİ	441,11
DN 50	2"	DIŞLİ	563,20





### AKIŞ ANAHTARI U-BOLT , DİŞLİ, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 65	2 1/2"	U-BOLT	141,28
DN 80	3"	U-BOLT	141,28
DN 100	4"	U-BOLT	141,28
DN 150	6"	U-BOLT	141,28
DN 200	8"	U-BOLT	187,34



### ÇİFT KLEPELİ ÇEK VANA SRV-462 PN16

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 50	2"	WAFER	99,55
DN 65	2 1/2"	WAFER	105,77
DN 80	3"	WAFER	125,68
DN 100	4"	WAFER	154,30
DN 125	5"	WAFER	182,92
DN 150	6"	WAFER	261,32
DN 200	8"	WAFER	379,54





## TEST VE DRENAJ VANASI

SRV-313

DIŐLİ, DÖKÜM, 300 PSI

ÖLÇÜ	K DEĞERİ	ORİFİS ÇAPI	LİSTE FİYATI (TL)
1"	K80 - K5.6	1/2"	1 712,93
1 1/4"	K80 - K5.6	1/2"	1 722,77
1 1/2"	K80 - K5.6	1/2"	3 525,24
2"	K80 - K5.6	1/2"	3 581,49
1"	K115 - K8.0	17/32"	1 986,79
1 1/4"	K115 - K8.0	17/32"	2 019,79
1 1/2"	K115 - K8.0	17/32"	4 534,06
2"	K115 - K8.0	17/32"	4 576,81
1 1/4"	K160 - K11.2	5/8"	2 115,14
1 1/2"	K160 - K11.2	5/8"	4 711,82
2"	K160 - K11.2	5/8"	4 795,08
1 1/4"	K200 - K14.0	3/4"	2 171,40
1 1/2"	K200 - K14.0	3/4"	4 851,33
2"	K200 - K14.0	3/4"	4 932,33



## TEST VE DRENAJ VANASI

SRV-312

DIŐLİ, PİRİNÇ, 300 PSI

ÖLÇÜ	K DEĞERİ	ORİFİS ÇAPI	LİSTE FİYATI (TL)
1"	K80 - K5.6	1/2"	2 147,82
1 1/4"	K80 - K5.6	1/2"	2 147,82
1 1/2"	K80 - K5.6	1/2"	4 353,63
2"	K80 - K5.6	1/2"	4 353,63
1"	K115 - K8.0	17/32"	2 312,00
1 1/4"	K115 - K8.0	17/32"	2 350,40
1 1/2"	K115 - K8.0	17/32"	5 276,21
2"	K115 - K8.0	17/32"	5 325,96
1 1/4"	K160 - K11.2	5/8"	2 461,36
1 1/2"	K160 - K11.2	5/8"	5 483,07
2"	K160 - K11.2	5/8"	5 579,95
1 1/4"	K200 - K14.0	3/4"	2 526,82
1 1/2"	K200 - K14.0	3/4"	5 645,42
2"	K200 - K14.0	3/4"	5 739,68

TSEK

**YÜKSELEN MİLLİ (OS&Y) VANA****SRV-224****200 PSI**

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100	4"	FLANŞLI	10 966,30
DN 150	6"	FLANŞLI	16 528,91
DN 200	8"	FLANŞLI	24 715,66
DN 250	10"	FLANŞLI	45 589,73
DN 300	12"	FLANŞLI	59 885,00

**YÜKSELMİYEN MİLLİ (NRS) VANA****SRV-225****200 PSI**

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 65	2 1/2"	FLANŞLI	8 186,75
DN 80	3	FLANŞLI	10 153,98
DN 100	4"	FLANŞLI	11 319,48
DN 150	6"	FLANŞLI	14 099,02
DN 200	8"	FLANŞLI	23 271,15
DN 250	10"	FLANŞLI	44 324,32
DN 300	12"	FLANŞLI	87 801,00





## HİDRANT SRV-332 PN 16, ANAHTAR DAHİL

ÖLÇÜ (DIN)	BOY (MM)	DÖKÜM	LİSTE FİYATI (TL)
DN 100	1450	DÖKÜM DEMİR	17 613,64
DN 100	1750	DÖKÜM DEMİR	18 181,82
DN 100	2150	DÖKÜM DEMİR	19 446,30
DN 100		DİRSEK	3 409,09



**SPRINKLER KOD TABLOSU / SPRINKLER CODE TABLE**

KOD / CODE	ÜRÜN ADI / PRODUCT NAME	ÖLÇÜ / SIZE	K FAKTÖR / K FACTOR	TEPKİME / RESPONSE
SRV1123	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN15	K 5.6 (80)	Standart / Standard
SRV1223	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN15	K 5.6 (80)	Hızlı / Quick
SRV1133	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN20	K 8.0 (115)	Standart / Standard
SRV1233	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN20	K 8.0 (115)	Hızlı / Quick
SRV1127	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV1227	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV1137	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN20	K 8.0 (115)	Standart / Standard
SRV1237	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN20	K 8.0 (115)	Hızlı / Quick
SRV1129	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN15	K 5.6 (80)	Standart / Standard
SRV1229	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV1139	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN20	K 8.0 (115)	Standart / Standard
SRV1239	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN20	K 8.0 (115)	Hızlı / Quick
SRV3123	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN15	K 5.6 (80)	Standart / Standard
SRV3223	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN15	K 5.6 (80)	Hızlı / Quick
SRV3133	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN20	K 8.0 (115)	Standart / Standard
SRV3233	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN20	K 8.0 (115)	Hızlı / Quick
SRV3127	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV3227	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV3137	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN20	K 8.0 (115)	Standart / Standard
SRV3237	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN20	K 8.0 (115)	Hızlı / Quick
SRV3129	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN15	K 5.6 (80)	Standart / Standard
SRV3229	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV3139	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN20	K 8.0 (115)	Standart / Standard
SRV3239	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN20	K 8.0 (115)	Hızlı / Quick
SRV4133	EXTRA LARGE ORIFICE UPRIGHT	DN20	K 11.2 (160)	Standart / Standard
SRV4233	EXTRA LARGE ORIFICE UPRIGHT	DN20	K 11.2 (160)	Hızlı / Quick
SRV4137	EXTRA LARGE ORIFICE PENDENT	DN20	K 11.2 (160)	Standart / Standard
SRV4237	EXTRA LARGE ORIFICE PENDENT	DN20	K 11.2 (160)	Hızlı / Quick
SRV5037	PENDENT KÖPÜK/SU NOZULU - PENDENT FOAM/WATER NOZZLE	DN20	-	-
SRV5029	SU PERDESİ NOZULU / WINDOW NOZZLE	DN15	-	-
SRV5039	SU PERDESİ NOZULU / WINDOW NOZZLE	DN20	-	-
SRV5022	ORTA HIZLI SU/KÖPÜK NOZULU / MEDIUM VELOCITY WATER SPREY NOZZLE	DN15	-	-
SRV5031	YÜKSEK HIZLI SU/KÖPÜK NOZULU / HIGH VELOCITY WATER SPREY NOZZLE	DN20	-	-
SRV5233	ESFR UPRIGHT SPRINKLER	DN20	K 14.0 (200)	Hızlı / Quick
SRV5243	ESFR UPRIGHT SPRINKLER	DN20	K 17.0 (240)	Hızlı / Quick
SRV5237	ESFR PENDENT SPRINKLER	DN20	K 14.0 (200)	Hızlı / Quick
SRV5247	ESFR PENDENT SPRINKLER	DN20	K 17.0 (240)	Hızlı / Quick
SRV6227	KURU TİP PENDENT / DRY SPRINKLERS PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV6229	KURU TİP SIDEWALL / DRY SPRINKLERS SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV7127	GİZLİ TİP PENDENT / CONCEALED SPRINKLER PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV7227	GİZLİ TİP PENDENT / CONCEALED SPRINKLER PENDENT	DN15	K 5.6 (80)	Hızlı / Quick

**VANA KOD TABLOSU / VALVE CODE TABLE**

KOD / CODE	ÜRÜN ADI / PRODUCT NAME	ÖLÇÜ / SIZE	Çalışma Basıncı / Working Pressure
SRV212	ISLAK ALARM VANASI / WET ALARM VALVE	DN100 - DN200	21 bar (300 psi)
SRV216	WAFER İZLENEBİLİR KELEBEK VANA / WAFER BUTTERFLY VALVE	DN65 - DN200	21 bar (300 psi)
SRV217	YİVLİ İZLENEBİLİR KELEBEK VANA / GROOVED BUTTERFLY VALVE	DN65 - DN200	21 bar (300 psi)
SRV218	DİŞLİ İZLENEBİLİR KELEBEK VANA / THREAD BUTTERFLY VALVE	DN25 - DN50	12 bar (175 psi)
SRV224	YÜKSELEN MİLLİ VANA / OS&Y VALVE	DN100 - DN250	16 bar (250 psi)
SRV225	YÜKSELMİYEN MİLLİ VANA / NRS VALVE	DN100 - DN250	16 bar (250 psi)
SRV226	OS&Y İZLEME ANAHTARI / SUPERVISORY SWITCH	DN50 - DN300	-
SRV227	POST İNDİKATÖR / POST INDICATOR	DN100 - DN300	-
SRV332	YANGIN HİDRANTI / FIRE HYDRANT	DN100	16 bar (250 psi)
SRV312	TEST VE DRENAJ VANASI / TEST AND DRAIN VALVE	DN25 - DN50	21 bar (300 psi)
SRV313	TEST VE DRENAJ VANASI / TEST AND DRAIN VALVE	DN25 - DN50	21 bar (300 psi)
SRV462	ÇİFT KLAPELİ ÇEKVALF / DUAL CHECK VALVE	DN50 - DN200	16 bar (250 psi)
SRV463	YİVLİ SWING ÇEKVALF / GROOVED SWING CHECK VALVE	DN65 - DN200	21 bar (300 psi)
SRV505	AKIŞ ANAHTARI / FLOW SWITCH	DN65 - DN200	21 bar (300 psi)













**SROVAN**  
**YANGIN KORUNUM**



[www.srovan.com](http://www.srovan.com)  
[info@srovan.com](mailto:info@srovan.com)